

MOULDED PLUGS

EXTENSION CORDS

Construction

Extension Cord: The cable contains high conductivity bunched copper conductors, insulated and colour coded with general purpose flexible grade PVC. The plug is then moulded onto the cable and is constructed of the same cable grade flexible PVC. This can then be put onto a cable reel or kept in coil form with a socket outlet attached.

Applications

For extension purposes to supply power to all types of electrical appliances and equipment.

Packaging

10 amp (1.0mm²) units are available in 10m, 20m and 30m.

16 amp (1.5mm²) units are available in 10m, 20m and 30m.

20 amp (2.5mm²) units are available in 20m, 30m and 40m.

* Amp Rating based on Cable Capacity.



Specification

CORD SETS AND EXTENSION CORD SETS - SABS 1661

Voltage Rating Input Voltage 250 Volts

Sheath Colours Black and White

PLUGS AND SOCKET OUTLET - SABS 164.1

Voltage Rating Input Voltage 250 Volts

Sheath Colours Black and White



Technical Data

Product Code	Size mm ²	Nominal Amps	Nominal Dia
MP10AMPX3#*MJC	1.0	10	7.0
MP16AMPX3#*MJC	1.5	16	8.2
MP20AMPX3#*MJC	2.5	20	9.9

When ordering, insert colour code here (Refer to Page 1)

* When ordering, insert length here (Refer to packaging)